



Certificate of Compliance

Certificate: 1613814

Master Contract: 227951

Project: 70214826

Date Issued: 2019-10-02

Issued To: Rotork YTC Limited
81, Hwanggeum-ro 89 beon-gil
Yangchon-eup
Gimpo-si, Gyeonggi-do, 10048
South Korea

Attention: Stan Przbylowicz

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: *Thong Tong*
Thong Tong



PRODUCTS

CLASS - C225802 - PROCESS CONTROL EQUIPMENT For Hazardous Locations

Ex d m IIB T5
IP66

Electro-pneumatic valve positioner YT-1000

Used for linear operation of pneumatic linear valve actuators by means of electrical controller or control systems with analog output signal of 4 to 20 mA or split ranges. Ambient temperature range -40°C to +60°C when used with silicon elastomers and -20°C to +60°C when used with Buna N (Nitrile).

Note: Installation shall be in accordance to the Canadian Electrical Code CEC, Part 1, C22.1.



Certificate: 70104834
Project: 70214826

Master Contract: 227951
Date Issued: 2019-10-02

APPLICABLE REQUIREMENTS

CSA C22.2 No. 0-10 (November 2014)	General requirements — Canadian Electrical Code, Part II
CAN/CSA-C22.2 No. 60079-0:11 (December 2011)	Explosive atmospheres – Part 0: Equipment – General requirements
CAN/CSA-C22.2 No. 60079-1:11 (December 2011)	Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures “d”
CAN/CSA-C22.2 No. 60079-18:12 (February 2012)	Explosive atmospheres – Part 18: Equipment protection by encapsulation “m”
IEC 61010 1:90 + A1:92 + A2:95	Safety requirements for electrical equipment for measurement, control, and laboratory use. Part 1 general requirements.

MARKINGS

The manufacturer is required to apply the following markings:

- Products shall be marked with the markings specified by the particular product standard.
- Products certified for Canada shall have all Caution and Warning markings in both English and French.

Additional bilingual markings not covered by the product standard(s) may be required by the Authorities Having Jurisdiction. It is the responsibility of the manufacturer to provide and apply these additional markings, where applicable, in accordance with the requirements of those authorities.

The products listed are eligible to bear the CSA Mark shown without an indicator for Canada only (indicating that products have been manufactured to the requirements of Canadian Standards).

The following markings shall appear on all products (the aluminium marking plate is mounted to the enclosure by means of 4 screws):

1. The CSA Mark, as shown on page 1 of the Certificate of Conformity.
2. Manufacturer’s name, or CSA master contract number, adjacent to the CSA mark.
3. CSA 05.1613814
4. Method of Protection (Ex) markings: As specified in the PRODUCTS section above.
5. Temperature code: As specified in the PRODUCTS section above.
6. Model number: As specified in the PRODUCTS section above.
7. Electrical rating: As specified in the PRODUCTS section above.
8. Ambient temperature rating: As specified in the PRODUCTS section above.
9. Enclosure rating: As specified in the PRODUCTS section above.
10. Manufacturing date in MMY format, or serial number, traceable to year and month of manufacture.
11. “WARNING – DO NOT SEPARATE WHEN ENERGIZED”/ “ATTENTION – NE PAS OUVRIR SOUS TENSION”

The following wording is cast into the junction box cover:



Certificate: 70104834
Project: 70214826

Master Contract: 227951
Date Issued: 2019-10-02

1. The following words: “ A seal shall be installed within 2 in. (50mm) of the enclosure” and “Unscellement doit etre installe a moins de 2 in (50mm) du boiter”
2. Install the fuse of a rated short current less than 62mA to the control side.

ALTERATIONS

Marking as shown above.



Supplement to Certificate of Compliance

Certificate: 1613814

Master Contract: 227951

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
70214826	2019-10-02	Update to the existing report 1613814 to: - Revise Catalog number - Update drawings and instruction manuals - Add alternate gasket material (BUNA-N) - Add IP66 rating
80000499	2019-05-14	Update to report 1613814 to reflect Submittor's new name and address.
70046048	2016-03-25	Update to report 1613814 to lower the ambient temperature from -20°C to -40°C.
1613814	2005-01-25	Original CSA certification for Electro-pneumatic valve positioner series YT-1000