

IECEx Certificate of Conformity

| INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres for rules and details of the IECEx Scheme visit www.iecex.com | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|---------------------------------|----------------------|--|
| Certificate No.: | IECEx EPS 20.0028X | Page 1 of 3 | Certificate history: | |
| Status: | Current | Issue No: 0 | | |
| Date of Issue: | 2020-03-24 | | | |
| Applicant: | Schischek GmbH Mühlsteig 45 90579 Langenzenn Germany | | | |
| Equipment: | Actuator gearbox | | | |
| Optional accessory: | ExRun, RedRun | | | |
| Type of Protection: | "h" | | | |
| Marking: | ExRun | RedRun | | |
| | Ex h IIC T6/T5/T4 Gb | Ex h IIC T6/T5/T4 Gc | | |
| | Ex h IIIC T80°C/T95°C/T130°C Db | Ex h IIIC T80°C/T95°C/T130°C Dc | | |

Approved for issue on behalf of the IECEx Certification Body:

Position:

Signature: (for printed version)

Date: (for printed version)

- This certificate and schedule may only be reproduced in full.
 This certificate is not transferable and remains the property of the issuing body.
 The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.

Certificate issued by:

Bureau Veritas Consumer Products Services Germany GmbH Businesspark A96 86842 Türkheim Germany



Holger Schaffer

Head of Certification



IECEx Certificate of Conformity

| Certificate No.: | IECEx EPS 20.0028X | Page 2 of 3 |
|--------------------------|---------------------------------------------------------------|-------------|
| Date of issue: | 2020-03-24 | Issue No: 0 |
| Manufacturer: | Schischek GmbH Mühlsteig 45 90579 Langenzenn Germany | |
| Manufacturing locations: | | |

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

| ISO 80079-36:2016 Edition:1.0 | Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Basic methods and requirements |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------|
| ISO 80079-37:2016 | Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres - Non electrical type of |
| Edition:1.0 | protection constructional safety "c", control of ignition source "b", liquid immersion "k" |

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

DE/EPS/ExTR20.0025/00

Quality Assessment Report:

DE/BVS/QAR07.0009/12



IECEx Certificate of Conformity

Certificate No.: IECEx EPS 20.0028X

Date of issue:

Page 3 of 3

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

2020-03-24

The actuator gearboxes ExRun and RedRun are mounted on a separately certified actuator with electrical motor. The assembly group of gearbox and actuator is used for adjusting valves.

The gearbox shall only be assembled together with either of the two already certified actuators ExRun-*** (IECEx EPS 19.0039) and RedRun-*** (IECEx EPS 19.0040).

SPECIFIC CONDITIONS OF USE: YES as shown below:

- The gearbox shall only be used together with an already certified actuator and enclosure provided by Schischek, ensuring a proper earth connection of all metal parts.
- Only lubricants with an ignition temperature (see IEC 60079-20-1) at least 50 K above the maximum surface temperature shall be used.
- Ambient temperature range: -40°C ≤ Ta ≤ +40°C/+50°C/+60°C (results in in different temperature classes)